

## EN1235DF Double-Button Fixed Position Hold Up Transmitter



The Inovonics EN1235DF double-button fixed position hold up transmitter features a rugged, double-button design to help prevent false alarms, and a back tamper for tamper protection.

## **Product Features**

Double-button activation reduces false alarms				
Includes back tamper for secure fixed position alarm signaling				
LED flashes with all transmissions, ensuring operation at a glance				
Ul listed				

D.		٦		cŧ	C	n	ecif					no		
		ΙU	u	u	Cl	2	U	ec	ш	IC	au	ıU	n	S

i roddet Specifications	
Dimensions:	3.0" x 1.6" x 0.72" (7.6 cm x 4 cm x 1.8 cm)
Weight:	1.6 oz (45 g)
Typical battery life:	3 to 5 years
Internal battery type:	Panasonic CR2
Operating environment:	
Temperature:	32°F to 140°F (0°C to 60°C)
Humidity:	Up to 90% (non-condensing)
Market:	North America, Australia, New Zealand
EchoStream® frequency:	902-928 MHz, frequency hopping spread spectrum
Check-in time frequency:	3 minutes
Regulatory compliance:	FCC, RoHS, UL 365, UL 636, UL 1076, UL 1610

## Reference Materials (available at www.inovonics.com)

EchoStream® EN1235SF/EN1235SF-15/EN1235DF Fixed Location Alarm Transmitter Installation Instructions

EchoStream Developer Guide

EchoStream One-Way Security Developer Guide

Inovonics Product Catalog: North America

- The range and performance of any wireless product depends on the structure and environment in which it
  operates.
- · Continual enhancements to our products may cause specifications to change without notice.
- Patents: 7,154,866; 7,554,932; 7,746,804; others pending.
- Inovonics supports recycling and reuse whenever possible. Please recycle these parts using a certified electronics recycler.

## Technical documents

For technical documents visit us at http://www.inovonics.com/support/tech-documents/ or use the QR code below.

